

1fw

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

PATENT

-----  
IN THE PATENT APPLICATION OF:

STEPHEN S. HANCOCK

U.S. SERIAL NO: 10/810,877

GROUP: UNKNOWN

FILED: MARCH 26, 2004

EXAMINER: UNKNOWN

FOR: BLOWER HOUSING AND CABINET WITH  
IMPROVED BLOWER INLET AIRFLOW  
DISTRIBUTION  
-----

La Crosse, Wisconsin  
June 9, 2004

I hereby certify that this correspondence  
is being deposited with the United States  
Postal Service as First Class Mail in an  
envelope addressed to: Mail Stop DD,  
Commissioner for Patents, P.O. Box 1450,  
Alexandria, VA 22313-1450 on  
6/9/2004 *William O'Driscoll*  
Date William O'Driscoll

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

Mail Stop DD  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Dear Sir:

Attached is the Spring 2004 issue of "The Leader", Volume 13, Issue 1, a publication by American Standard for its air conditioning distributors and dealers. The photograph in Article "New Air Handler Features Better Performance in a Smaller Cabinet" at the lower left of page 6 shows an advanced blower housing in accordance with the present invention. The article further indicates that the new air handler will be available in the second quarter of 2004.


This article is submitted to fully comply with applicant's duty of disclosure but is not considered to affect the novelty and patentability of the claimed invention.

Respectfully Submitted,

*William O'Driscoll*

William O'Driscoll  
Registration No. 33,294

Telephone Number: (608)787-2538



PTO/SB/08B (08-03)

Approved for use through 07/31/2006. OMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449/PTO

**INFORMATION DISCLOSURE  
STATEMENT BY APPLICANT**

(Use as many sheets as necessary)

**Complete if Known**

Application Number	10/810,877
Filing Date	March 26, 2004
First Named Inventor	Stephen S. Hancock
Art Unit	Unknown
Examiner Name	Unknown
Attorney Docket Number	D-2675B/WOD

Sheet 1 of 1

**NON PATENT LITERATURE DOCUMENTS**

Examiner Initials*	Cite No. <sup>1</sup>	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T <sup>2</sup>
		Publication: "The Leader", Title: "New Air Handler Features Better Performance in a Smaller Cabinet", Spring 2004, Page 6, Volume 13, Issue 1	

Examiner Signature		Date Considered	
-----------------------	--	--------------------	--

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

<sup>1</sup> Applicant's unique citation designation number (optional). <sup>2</sup> Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO:

Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.